



Best United Marketing Ltd.

Best United Marketing Ltd. is established in 2005. We are the Medical Face Mask Manufacturer in Hong Kong. We achieved ISO 14644-1 Clean Room Class 8 Standard. The company also engaged in the wholesale business of pharmaceutical product importers. The main Brand Products include Medical Face Mask, Anti-inflammation Plaster, Chili Plaster, Corn Plaster, Glycerin Enema and Enema. The pharmaceutical products have more than 35 brands, and the main sales markets are in pharmaceutical wholesalers.

Best United Marketing Ltd's mission is to "Alleviate human suffering and Improve people's health and well-being." Our company establishes a brand management system that includes brand design, OEM, Private Label in order to create a variety of pharmaceutical Brands such as "WELIKE Medical Face Mask", "LORCORN Medical Face Mask", "HOHOTAPE Medical Plaster", "Animal King Chili Plaster", "CARE Corn Plaster, Glycerin Enema and "WEILI Enema" and explore the global pharmaceutical markets. All pharmaceutical products are registered with the Hong Kong Department of Health and achieve global regulatory PIC/S standards.

Main products :



Product name : LORCORN Medical Face Mask

Description : BFE99, EN14683 TYPE IIR, ASTM F2100 LEVEL 1



Product name : WELIKE Medical Face Mask

Description : BFE99, EN14683 TYPE IIR, ASTM F2100 LEVEL 1

Contact Us :

Phone : +852 64699723

Fax : +852 27434009

Email : springcheung@bestunitedpharm.com

Website : www.bestunitedpharm.com

Address : 14/F, Block A, Phase 1, Tsing Yi Industrial Centre, Hong Kong

Zhen Fu Technology Limited

Founded in 2016, focusing on material application and new energy R & D, it is an innovative technology company. With the outbreak of COVID-19, the company focuses on the production of epidemic prevention products and sets up a factory of melt-blown cloth in Hong Kong.

Main products :



Product name : The 95 Series Melt Blown Cloth

Description : Scope of Application: Disposable Nursing / Surgical Masks,

Product Size: Weight 50G/40G/25G, Width 260mm/175mm. Packaging:

PE Transparent Plastic Bag Packaging / Carton Packaging Standard:

BFE>95, PFE>95 (ASTM Level 1)

Contact Us :

Phone : 3611 7700

Fax : 3580 0922

Email : info@zfthk.com

Website : <http://zfthk.com/>

Address : RM 9, 12/F, Fu Hang Industrial Building, 1 Hok Yuen Street East, Hung Hom, Kowloon

JIANGXI NATIONAL BRIDGE INDUSTRIAL CO.LTD.

JXNBI--Jiangxi National Bridge Industrial Co., Ltd. was set up in May 2003, Now, JXNBI has 5 domestic and overseas high technology PET spunbond thermobonded&needle punched nonwoven production lines and multiple special functional processing production lines, With annual output nearly 10000 tons of PET spunbond non-woven and annual 3000 tons processing functional nonwoven. JXNBI is one industrial company with PET spunbond production, R&d, processing, sales and nonwoven professional equipment R & D design, processing and making. JXNBI has formed 6 series of national industrial nonwoven: "JXNBI Engineering Non-woven", "JXNBI Waterproofing Nonwoven", "JXNBI Filter Nonwoven", "JXNBI Vehicle Nonwoven", "JXNBI Degradable Nonwoven", "JXNBI Functional Nonwoven". JXNBI is well known in the industry with 7 national registered trademark brand, 4 invention patents and 21 utility patents. So, JXNBI is leader in the domestic PET spunbond nonwoven industry, especially, the "JXNBI Filtration Nonwoven" sell well both at home and abroad and has a constant leading sharing market rate with the first three in the same industry manufacturers.

Main products :



Product name : PET Spunbonded Thermobonded Filter Nonwovens

Description : Main application: filtration material, fold filter cartridge and

filter core. It widely uses air filter, dust filter, liquid filter, etc., It's with

outstanding properties: high filtration efficiency and tensile strength, acid

alkali-resistance, mothproof, poisonless and so on. The product has been

found to confirm to SGS Standard.



Product name : PET Spunbonded Anti-flaming Nonwovens

Description : The flame retardant efficiency reach high rank(It will be extinguished as soon as away from the fire),and the surface is not greasy and it can keep the anti-flaming for a long time. so it can be good to meet customer demand.It is widely used in interior decoration material of vehicle, cushion,carpet, insulation, friction, antiskid materials of electronics,electronic seals · damping ,material, construction,civil and industrial flameproof fabric, etc.



Product name : PET spunbonded Needle-punched Nonwovens

Description : After processing , PET spunbonded waterproofing and oil-proofing nonwovens almost don't change the properties of the original nonwoven. It not only can prevent water and oily substance pollution ,but also has good hygroscopicity and permeability ,high tensile and smooth surface,etc.It is widely used in waterproof and impermeable engineering of Railways, highways, landfill, channels, tunnel; industrial filter, filter cartridge, filter element, filter bag, etc.

Contact Us :

Phone : (86-0791)88132966/88132699/88132618

Fax : (86-0791)88132858

Email : jxnbi@163.com

Website : <http://www.jxnbi.com.cn>

Address : Northern End of Qingshanhu Road,Nanchang,China

A-one International Limited

A one International Limited is an industrial and trading enterprise which is dedicated to the import and export of high-performance Fiber The company is engaged in international and Domestic Trade and has annual sales of over 400 million Re-exportation, and has long-term and stable cooperative relations with many chemical fiber enterprises in Korea. The company's business scope covers all kinds of non-woven fabrics, paper fibers, PPS fibers, chemical fiber raw materials, functional special fibers, building materials and other fields.

Main products :



Product name : Flame retardant polyester fiber

Description : White/Black 3D/6D/8D/15D LOI 38.8%, passed IMO Part 7, UL94 V-0 test. Mainly used in automobile interior decoration, ship and other non-woven flame retardant cloth.



Product name : Flame retardant polyester fiber
Description : RF 1.5D x 8mm LOI 38.8% Used in special paper which needs inflaming retarding effect.



Product name : Polyester staple fiber
Description : PET 0.7D/1.5D x 6mm Used in special paper, non-woven fabrics, etc.



Product name : Aramid staple fiber
Description : MASF 2D x 6mm High temperature resistance, good insulation, good dispersion. Used in Aramid insulation paper, Aramid Screen Wallpaper, etc.



Product name : Aramid Fibrid
Description : MASF 0.9D x 1mm High temperature resistance, good insulation, good dispersion. Used in Aramid insulation paper, Aramid Screen Wallpaper, etc.



Product name : Vertical non-woven/Chest non-woven
Description : Then invention has advantages of good resilience, re-yellow. Subsitite sponge for high-end mattress.



Product name : Fireproof non-woven FR1633
Description : Excellent fire-proof performance and PASS FR1633



Product name : Pre-oxygen wire felt
Description : Good insulation, specific gravity for high-speed railway and other applications need good insulation non-woven fabric.

Contact Us :

Phone : 020-38212260/13609087279 (方東日)

Fax : 020-38358090

Email : dongri919@163.com

Website : <http://www.longtafiber.cn>

Address : ROOM 801, NO.157,LINHE XI ROAD,TIANHE DISTRICT
,GZ,CHINA(GUANGZHOU LONGTA TRADING CO.,LTD)

DUWU VILLAGE ,WANGNIU DUN TOWN, DG,GD,CHINA(DONGGUAN

National Bridge Industrial (S.Z.) Co.,Ltd.

Founded in 1985, we have brought in various PP, PET, spunbond, SMS, meltblown, needle punch, US/Europe made production line. And we expanded collectively as a vertical integration group from manufacturing nonwoven fabrics to nonwoven-made end products reaching standards such as ROHS, REACH, AZO FREE, NELSON. We have been approved by TUV certification for ISO 90001:2015 quality management system and ISO14001:2015 environment management system.

Main products :



Product name : Spunbond nonwoven fabric

Description : The raw materials of spun-bounded non-woven fabrics are polypropylene and polyester. Our spunbond nonwoven fabric has excellent performance such as high temperature resistance, aging resistance, UV resistance, high elongation, good stability and air permeability, corrosion resistance, widely used in medical, hygiene, filtration and package industries, etc.



Product name : Meltblown nonwoven fabric

Description : Our meltblown nonwoven fabric production line can produce 1.8-3 μ m fiber. With electret after treatment, the meltblown fabrics can absorb fine dust by electrostatic effect because of presistent static. Therefore, our meltblown nonwoven fabric has high-efficiency and low resistance function.



Product name : Degradable Nonwovens

Description : Canuxi degradable nonwovens are certified the green label by Hong Kong Green Label Scheme, it is the first nonwovens products which are certified in plastic material. Our degradable non wovens can be degraded by sunlight, geat and microorganism. Only CO₂, H₂O and biomass are left. Products can meet Rohs standards.

Contact Us :

Phone : 86-0755-28016860

Fax : 86-755-28016996

Email : NBI@NBI.COM

Website : [HTTP://WWW.NBI.COM.CN](http://WWW.NBI.COM.CN)

Address : No. 501-502 Sili Road, Guanlan Town, Longhua District, Shenzhen City, Guangdong Province, China

Prosperity Industries Company

Prosperity Industries Company is one of the finest and earliest nonwoven disposables manufacturers since 1991, and invested on our own factory in 1993. With the endless growth in 27 years, we have obtained the GB/T19001-2016/ISO9001:2015 certificate and a registered trademark "Polytex". Our company focused on environment-friendly bag, thermal bag, protective wear, medical and healthcare product, and various sewing product.

Main products :



Product name : Coverall

Description : Breathable film non-woven or pure non-woven, zipper, rubber band. Pass the European Ce test standards: TYPE5. TYPE6 to achieve dust, waterproof and anti-virus fuctions for industrial, food industry or medical use.



Product name : Insulation Bag

Description : Non-woven fabric, EPE foam, aluminium film, zipper or Velcro etc.; the printing method can be silk screen, hot-transfer ot OPP printing.



Product name : Environmental bag/Recycle bag

Description : 6oz to 18oz cotton fabric or canvas. Silk screen, hot-transfer or digital printing.

Contact Us :

Phone : 020-87980060 , 020-87981061, 852-3170 7095

Fax : 020-87981062, 852-3171 7395

Email : polytex@chinanonwoven.com ; sales@chinanonwoven.com

Website : <http://www.hk-nonwoven.com> ; <http://chinanonwoven.com>

Address : Rm.1301,13/F.,Chung Wo Commercia Centre,42-46 Shanghai Street,Kowloon,Hong Kong

Factory Address : 206 Huanshi Road East, Conghua, Guangzhou, China

廣州俊麒無紡布企業有限公司

廣州俊麒無紡布企業有限公司是原廣州新迪無紡布企業有限公司經轉制後組建的股份制企業，成立於2001年，是全國最早擁有德國萊芬豪斯紡粘法丙綸無紡布生產線的廠家。佔地18,000平方米，擁有200多名企業員工，是一家專門從事一次性醫用耗材及衛生用卷材生產的企業。俊麒公司擁有從紡粘非織造布生產[®]多功能表面處理[®]後加工/深加工的生產鏈。俊麒公司有3條SPP,1條SSS紡粘無紡布生產線，年無紡布生產能力為20,000噸。

Main products :



Product name : SSS hydrophobic and hydrophilic non-woven fabric
Description : This products can be used in sanitary ware such as Pull-up pants, diapers, sanitary napkin, diapers cover etc.



Product name : Flame retardant and antibacterial non-woven fabric
Description : This product is comply with the european and international standards with the grade for flame retardant and antibacterial. It can be used in furniture, car cover, medical isolation curtain cloth and package etc.



Product name : Anti-aging non-woven fabric
Description : This product have anti-aging and UV protection properties which can work in prolong peroid. It can be used in shopping bags, masks, furniture, agricultural cold-proof cloth and other products.

Contact Us :

Phone : 86-20-87981116

Fax : 86-20-87980096

Email : tang0992@yygroup.cn

Website : <http://yygroup.cn>

東莞當令實業有限公司


生產和銷售無紡布製品（地毯、過濾材料、裝飾材料、吸音材料等），同時從事人造皮革的批發及進出口業務（不設店鋪經營，涉及配額許可證管理、專項規定管理的商品按國家有關規定辦理）。設立研發機構，研發和開發無紡布製品。從事環保工程、過濾工程、環保，過濾項目的設計、安裝、調試及技術服務。組裝,加工及銷售環保機械設備、過濾機械設備。

Main products :



Product name : 當令1#、2#濾袋

Description : The filter bags are made from environmental-friendly materials. All the raw materials are white and did not treated with bleaching and dyeing which are complied with the environmental law and regulations. The products are stitched with five threads which can withstand high pressure and explosion-proof.



Product name : 當令打褶濾芯

Description : The pleated filter cartridges are not only enhanced the filtration area and prolonged the shelf-life but can also lower the operating costs. The interior of the cartridges are supported by stainless steel/PP backbone. PET materials are used as filter because of its flexibility, size stability, resist to friction, non-toxic, anti-erosion and resist to strong acid and weak base properties. The low pressure difference can extended the shield life. The products can be cleaned online via CIP. This PET cartridges can replace the tradition meltblown cartridges.



Product name : Dust collection bag

Description : The no additive added PTFE films are made from single material which can be disposed easily. The raw materials are comply with the international standards. This products can help to reduce the living cost with high filtration efficiency and enhanced filtration area.

Contact Us :

Phone : 0769-83933982

Fax : 0769-83931086

Email : ye.wu@fairtech.com.hk

Website : <http://www.ftfiltration.com/>